10 PRODUCT NEWS

+ HDMI™ EDID Emulator
+ XLR Cable to 6.35 mm Jack
+ USB-C™ PD GaN Dual Fast Charger
+ USB-C™ PD Multiport Fast Charger
+ Power Supply Adapter Set
+ LED Flame Bulb
+ Cable Clamp Set
+ Heat-Shrink Tubing Sets
+ Cable Lug Set
+ Wire End Ferrule Set
+ Crimping Pliers for Wire End Ferrules
+ Cable Tie Sets

wentronic

PRODUCT NEWS OVERVIEW

HDMI™ EDID Emulator

XLR Cable to 6.35 mm Jack

45 W | 65 W USB-C™ PD GaN Dual Fast Chargers

65 W USB-C™ PD Multiport Fast Charger

Power Supply Adapter Set, 11 Pcs.

LED Flame Bulb, 4.5 W

Cable Clamp Set, 700 Pcs.

Heat-Shrink Tubing Set, 560 Pcs.

Cable Lug Set, 480 Pcs.

Wire End Ferrule Set, 1200 Pcs.

Square | Hexagonal Crimping Pliers for Wire End Ferrules

Cable Tie Set, 200 Pcs. | 1000 Pcs.

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

Some of the images used in this document have been created or edited, in whole or in part, using an AI system. They are for illustrative purposes only and may differ from actual products.

HDMI™ EDID Emulator

4K/60 Hz, compact monitor emulator for a stable handshake between source and display device

4K/60 Hz **Plug & Play**

Connect the HDMI™ monitor emulator to a permanently active laptop or computer to signal a fixed 4K output to the display (television, monitor) even when switching on and off

HDMI™ handshake fix: With the EDID dongle, the output device communicates a 4K resolution and 60 Hz refresh rate to the display – no black screen, no incorrect resolution after switching on

Ideal for presentation screens and media players in conference rooms, POS areas, hotels or at trade fairs, as well as for headless systems in IT, where the HDMI™ adapter addresses the GPU

The HDMI™ dummy plug prevents a computer from switching to standby mode during prolonged inactivity – ideal for VNC and remote desktop users who wish to access the computer remotely

Virtual monitor: The HDMI™ display emulator simulates a 4K monitor for the operating system to artificially scale up the resolution on the physical 2K monitor, e.g. for recording 4K videos

Plug & Play for easy connection without separate drivers, compatible with Windows, macOS, Linux and all HDMI™-enabled computers

				Packaging: Retail Polybag					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 42	80794	4040849807947	14.99 €	500	1	10.00 cm	10.00 cm	1.00 cm	0.013 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

XLR Cable to 6.35 mm Jack

XLR female (3-pin) > 6.35 mm male (3-pin) - balanced mono

XLR | **3-pin** | **6.35 mm Jack** | **Mono** | **1.0–10.0 m**

Flexible XLR cable for analogue audio transmission, e.g. in music studios or rehearsal rooms, as a microphone cable when recording podcasts and live streaming

Ideal for transmission via active loudspeakers, studio microphones, mixing desks, effects devices, DJ equipment and amplifiers

The 3-pin, balanced design enables loss-free audio transmission over long distances – without noise, crackling or interference

Flexible and stable: With a thick, flexible PVC sheath to effectively protect the jack cable from crushing, trampling and cable breakage – perfect for use on stage or in rehearsal rooms

3x quality for durability: Copper conductors, die-cast zinc plugs and moulded bend protection make the audio cable extremely robust and resistant

Securely connected with a click: The socket with snap lock engages securely and prevents the plug from accidentally slipping out

Note: The 3-pin TRS configuration of the jack plug is used for the balanced, noise-reducing mono signal and is not intended for stereo transmission

Packaging: Sleeve | Brown Box with Label

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 43	1.00 m	80797	4040849807978	5.99 €	64	1	26.00 cm	13.00 cm	2.00 cm	0.096 kg
● exp. from week 43	2.00 m	80798	4040849807985	7.99 €	40	1	26.00 cm	14.00 cm	2.00 cm	0.135 kg
● exp. from week 43	3.00 m	80799	4040849807992	8.99 €	32	1	26.00 cm	14.00 cm	3.00 cm	0.180 kg
● exp. from week 43	5.00 m	80800	4040849808005	9.99 €	24	1	22.00 cm	15.00 cm	3.00 cm	0.260 kg
● exp. from week 43	10.00 m	80801*	4040849808012	19.99 €	10	1	180.00 cm	180.00 cm	55.00 cm	0.524 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

45 W USB-C™ PD GaN Dual Fast Charger

1x USB-C™ port (Power Delivery) and 1x USB-A port

45 W | **GaN** | **1x USB-C™ PD** | **1x USB-A**

Highly versatile with USB-C™ and USB-A: With 45 W, the wall charger is perfect for smartphones, tablets, power banks or small laptops – charging two devices from a single socket

Fast charging mode included: The Goobay power adapter supplies small laptops such as the Apple MacBook Air via USB-C™ Power Delivery, simultaneously charging smartphones, headphones, etc. via USB-A

Clever with GaN: Semiconductors with GaN technology allow for faster, more efficient charging and a lighter, more compact design compared to conventional chargers

Handy on the go: The compact, lightweight design makes the USB charger the ideal charging solution at home, on the road and when travelling

Practical 2-in-1 solution: Thanks to the various ports with USB-C™ and USB-A, a single charging adapter is all you need – for less clutter with chargers and less luggage

Universally compatible: Compatible with all major smartphone and tablet manufacturers, e.g. Apple iPhone, Apple iPad, Samsung Galaxy, Xiaomi, LG and Huawei

Secure connection: The integrated protection electronics of the USB-C™ charger protects connected devices against overcurrent, overcharging and overheating

goobay® Multi Fast Charger

						Packaging: Retail Box					
Availability	**Colour**	**Item no.**	**EAN**	**RRP**	**Previous**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
exp. from week 42	black	79624	4040849796241	21.99 €	65411	100	1	14.00 cm	10.00 cm	3.50 cm	0.131 kg
exp. from week 42	white	79625	4040849796258	21.99 €	65412	100	1	14.00 cm	10.00 cm	3.50 cm	0.131 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

65 W USB-C™ PD GaN Dual Fast Charger

1x USB-C™ port (Power Delivery) and 1x USB-A port

65 W | **GaN** | **1x USB-C™ PD** | **1x USB-A**

Highly versatile with USB-C™ and USB-A: With 65 W, the wall charger is perfect for virtually any device, from smartphones to high-performance laptops – charging two devices from a single socket

Fast charging mode included: The Goobay power adapter supplies small laptops such as the Apple MacBook Air via USB-C™ Power Delivery, simultaneously charging smartphones, headphones, etc. via USB-A

Clever with GaN: Semiconductors with GaN technology allow for faster, more efficient charging and a lighter, more compact design compared to conventional chargers

Handy on the go: The compact, lightweight design makes the USB charger the ideal charging solution at home, on the road and when travelling

Practical 2-in-1 solution: Thanks to the various ports with USB-C™ and USB-A, a single charging adapter is all you need – for less clutter with chargers and less luggage

Universally compatible: Compatible with all major smartphone and tablet manufacturers, e.g. Apple iPhone, Apple iPad, Samsung Galaxy, Xiaomi, LG and Huawei

Secure connection: The integrated protection electronics of the USB-C™ charger protects connected devices against overcurrent, overcharging and overheating

goobay® Multi Fast Charger

						Packaging: Retail Box					
Availability	Colour	Item no.	EAN	RRP	Previous	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from week 42	black	80552	4040849805523	24.99 €	65409	100	1	14.00 cm	10.00 cm	3.50 cm	0.132 kg
exp. from week 42	white	80551	4040849805516	24.99 €	65410	100	1	14.00 cm	10.00 cm	3.50 cm	0.132 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

65 W USB-C™ PD Multiport Fast Charger

2x USB-C™ ports (Power Delivery) and
2x USB-A ports (Quick Charge)

65 W | **2x USB-C™ PD** | **2x USB-A QC**



Highly versatile with USB-C™ and USB-A: With 65 W, the wall charger is perfect for virtually any device, from smartphones to high-performance laptops – charging four devices from a single socket

Fast charging mode included: The Goobay power adapter supplies small laptops such as the Apple MacBook Air via USB-C™ Power Delivery, simultaneously charging smart-phones, headphones, etc. via USB-A

Handy on the go: The compact, lightweight design makes the USB charger the ideal charging solution at home, on the road and when travelling

Practical 4-in-1 solution: Thanks to the various ports with USB-C™ and USB-A, a single charging adapter is all you need – for less clutter with chargers and less luggage

Universally compatible: Compatible with all major smartphone and tablet manufacturers, e.g. Apple iPhone, Apple iPad, Samsung Galaxy, Xiaomi, LG and Huawei

Secure connection: The integrated protection electronics of the USB-C™ charger protects connected devices against overcurrent, overcharging and overheating

goobay® Multi Fast Charger

					Packaging: Retail Box					
Availability	**Colour**	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
exp. from week 42	black	80758	4040849807589	24.99 €	100	1	14.00 cm	10.00 cm	3.50 cm	0.150 kg
exp. from week 42	white	80759	4040849807596	24.99 €	100	1	14.00 cm	10.00 cm	3.50 cm	0.150 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Power Supply Adapter Set, 11 Pcs.

6x DC plug adapters plus USB-C™, USB Mini-B, Micro-USB, USB-A socket and screw terminal connection

11 Pcs. | **6x DC plug** | **USB-C™** | **USB Mini-B** | **Micro-USB** | **USB-A socket**

All Adapters

incl. USB-C™ adapter for long-term use

1. Micro-USB plug
2. USB Mini-B plug
3. Plug with screw terminal



4. USB-C™ plug
5. DC plug (3 × 1.1 mm)
6. DC plug (3.5 × 1.35 mm)
7. DC plug (2.5 × 0.7 mm)
8. DC plug (4 × 1.7 mm)
9. DC plug (4.8 × 1.7 mm)
10. DC plug (5.5 × 2.5 mm)
11. USB-A socket

Always have the right connection to hand: DC adapter set for a power supply with a DC plug (5.5 × 2.1 mm) – so a single power supply can power numerous devices

Future-proof with USB-C™ adapter: With USB-C™, power supplies become universally compatible with current and future generations of devices, e.g. laptops, tablets and consumer electronics

Handy USB-A socket: For devices with a USB cable – the simple solution when you don't have a USB charger to hand (Note: Note: Please ensure the voltage of the power supply unit used is correct)

Micro-USB and Mini-USB: Ideal for classic devices, e.g. digital cameras, power banks, portable radios, battery chargers, Bluetooth speakers or headphones

6x DC adapters/barrel connectors for maximum flexibility: 5.5 × 2.5 mm, 2.5 × 0.7 mm, 3.0 × 1.1 mm, 3.5 × 1.35 mm, 4.0 × 1.7 mm, 4.8 × 1.7 mm (polarity: positive)

Screw terminal adapter for hobbyists: Perfect as an LED power supply adapter for LED strips and lighting, but also for sensors, cameras and DIY projects such as the Raspberry Pi or electronics development

				Packaging: Bulk					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 42	80852	4040849808524	5.99 €	200	1	8.00 cm	5.20 cm	3.20 cm	0.080 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

LED Flame Bulb, 4.5 W

E27 base, warm white decorative light (1600 K), 110 lm

E27 | **4.5 W** | **Warm white** | **230 V (AC)** | **IP20**

LED flame effect light with dynamically glowing LEDs for a realistic flicker in warm yellow – completely electric and completely safe

Perfect as an ambience fire light for living rooms, dining rooms and conservatories, for sockets in decorative fireplaces or torch holders, and as Christmas or Halloween party decorations

Stays cool in lanterns and lamps: As an LED light, the E27 flame bulb generates very little heat and is immediately bright when switched on

With a frosted glass finish and 360° flame effect for even, all-round illumination

With a lifespan of over 20,000 hours, the flickering flame bulb remains reliable in use for many years

The flame simulation lamp is suitable for connection to the mains at 230 V (AC) and is intended exclusively for indoor use (protection class IP20)

Dimensions (H x Ø): 16.6 x 6 cm

				Packaging: Retail Box					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 41	80740	4040849807404	8.99 €	40	1	6.50 cm	6.50 cm	17.50 cm	0.115 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Cable Clamp Set, 700 Pcs.

cable clips with nail for neat cable fastening, white

700 pcs. **7 sizes**

Cable clamps with nails for precise routing and neat fixing of electrical cables, Ethernet cables, audio cables etc. in masonry and timber

7 different sizes, round cross-section for round cables:
100x 4 mm, 100x 5 mm, 100x 6 mm, 100x 8 mm, 100x 10 mm,
rectangular cross-section for flat cables: 100x 5 mm, 100x 6 mm

For ease of use, each wall cable clip features a pre-fitted, galvanised nail

For quick and easy reference, with the diameter indicated on each wire clip

Perfect for cable installation on walls, skirting boards and door frames, as well as in or behind furniture

The cable management clips are supplied in a neatly organised plastic box

Packaging: Sleeve

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 43	80468	4040849804687	8.99 €	40	1	44.10 cm	21.90 cm	14.80 cm	0.800 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Heat-Shrink Tubing Set, 560 Pcs.

black and red, length 45 mm, for heat-shrink mounting on electrical cables

560 pcs. **12 sizes** **2 colours**

Heat-shrink wire tubing with a 2:1 shrink ratio, designed for cable insulation, cable repair and cable protection in electrical and electronic applications

12 different sizes, half in black and half in red: 90x 1 mm, 70x 1.5 mm, 70x 2.0 mm, 70x 2.5 mm, 50x 3 mm, 50x 3.5 mm, 40x 4 mm, 25x 5 mm, 25x 6 mm, 25x 7 mm, 25x 10 mm, 20x 13 mm

Made from proven PE and EVA, making the heat shrink tube particularly resistant to UV, extreme temperatures, moisture and chemicals – ideal for electrical components such as cables and cable connectors

Heat-shrink tubing in red and black ensures clear identification, e.g. of positive/negative on electrical cables or left/right on audio cables

The smaller diameters can be heat-shrunk using low heat, e.g. with a lighter; the larger ones require higher heat, e.g. from a heat gun

The heat-shrink tubing assortment is supplied in a neatly organised plastic box with a practical hanging tab and a printed overview on the inside of the lid



				Packaging: Sleeve					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 43	80213	4040849802133	7.99 €	50	1	19.40 cm	12.90 cm	3.70 cm	0.500 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Heat-Shrink Tubing Set, 560 Pcs.

in 5 colours, length 45 mm, for heat-shrink mounting on electrical cables

560 pcs. **12 sizes** **5 colours**

Heat-shrink wire tubing with a 2:1 shrink ratio, designed for cable insulation, cable repair and cable protection in electrical and electronic applications

12 different sizes,
Black: 90x 1 mm, 50x 3 mm, 25x 10 mm, 20x 13 mm,
Red: 70x 1.5 mm, 40x 4 mm, 25x 7 mm,
Yellow: 70x 2 mm,
Green: 70x 2.5 mm,
Blue: 50x 3.5 mm, 25x 5 mm, 25x 6 mm

Made from proven PE and EVA, making the heat shrink tube particularly resistant to UV, extreme temperatures, moisture and chemicals – ideal for electrical components such as cables and cable connectors

Convenient for safety and maintenance: In 5 colours, the heat-shrink tubing ensures clear identification in environments with numerous cables, e.g. in cable cabinets

The smaller diameters can be heat-shrunk using low heat, e.g. with a lighter; the larger ones require higher heat, e.g. from a heat gun

The heat-shrink tubing assortment is supplied in a neatly organised plastic box with a practical hanging tab and a printed overview on the inside of the lid

				Packaging: Sleeve					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 43	80212	4040849802126	7.99 €	50	1	19.40 cm	12.90 cm	3.70 cm	0.500 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Cable Lug Set, 480 Pcs.

30 types for full flexibility, insulated and partially insulated, for crimping to stranded cables

480 pcs. | **30 types** | **3 colours** | **AWG 10-22**

Extensive range of cable lugs with insulated and partially insulated models, perfect as connectors for electrical cables, audio cables and switches, as well as in model making and for cable repairs

Tinned copper version with PVC collar for secure, clean rimping to electrical cables – no soldering required

Red for AWG 22–16, 0.5–1.5 mm²:
Spade connectors 20x fully insulated (F), 20x partially insulated (F), 20x partially insulated (M), bullet connectors 20x F, 20x M, butt connectors 20x, piggyback spade sockets 10x, ring cable lugs M4, M5, M6, 20x each

Blue for AWG 16–14, 1.5–2.5 mm²:
Spade connectors 20x fully insulated (F), 20x partially insulated (F), 20x partially insulated (M), bullet connectors 20x F, 20x M, butt connectors 20x, piggyback spade sockets 10x, ring cable lugs M4, M5, M6, 20x each

Yellow for AWG 12–10, 4–6 mm²:
Spade connectors 10x fully insulated (F), 10x partially insulated (F), 10x partially insulated (M), bullet connectors 10x F, 10x M, butt connectors 10x, piggyback spade sockets 10x, ring cable lugs M4, M5, M6, 10x each

The cable connector set is supplied in a neatly organised plastic box with a practical hanging tab and a printed overview on the inside of the lid

				Packaging: Sleeve					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 43	80211	4040849802119	29.99 €	20	1	27.90 cm	17.80 cm	4.60 cm	0.730 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Wire End Ferrule Set, 1200 Pcs.

8 types for full flexibility, insulated, for crimping to stranded cables

1200 pcs. **8 types**



Assortment of ferrules for protecting cable ends, electrical repairs and model making – from professional installations in control cabinets to fitting lamps at home

Ideal as a starter set or refill pack with all standard sizes, suitable for cable cross-sections from 0.5 mm² to 10 mm²

Insulated end sleeves:
200x E0508/white,
200x E7508/grey,
200x E1008/red,
250x E1508/black,
250x E2508/blue,
50x E4009/grey,
25x E6012/yellow,
25x E10-12/red

Tinned copper version with PP collar for secure, clean crimping on electrical cables – no soldering required

The wire end ferrule set is supplied in a neatly organised plastic box with a practical hanging tab and a printed overview on the inside of the lid

				Packaging: Sleeve					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 43	80210	4040849802102	16.99 €	50	1	20.90 cm	11.10 cm	3.00 cm	0.450 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Square Crimping Pliers for Wire End Ferrules

type HSC8 6-4A, AWG23/7, crimping tool for insulated and uninsulated wire end ferrules



Type HSC8 6-4A **AWG23/7**

Crimping pliers for crimping wire end ferrules onto stranded conductors, e.g. in electrical installations, switch cabinets, control systems and industrial cabling

Uniform square crimp: The crimping mechanism ensures uniform force transmission and automatically adjusts to the respective ferrule

With 6 crimping points, suitable for cable sleeves with diameters from 0.25 mm² to 10 mm²

With the non-slip TPR handle and the compact grip width, the wire crimping tool is ideal for easy, one-handed operation – ensuring comfortable working even during prolonged use

With 3 locking positions and a practical emergency release that reopens the ferrule crimping pliers if they become jammed

The crimping force of the wire crimper can be adjusted to six levels via the adjustment wheel

				Packaging: Retail Box					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 43	80214	4040849802140	7.99 €	50	1	19.00 cm	7.50 cm	3.80 cm	0.460 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Hexagonal Crimping Pliers for Wire End Ferrules

type HSC8 6-6A, AWG23/10, crimping tool for insulated and uninsulated wire end ferrules



Type HSC8 6-6A **AWG23/10**

Crimping pliers for crimping wire end ferrules onto stranded conductors, e.g. in electrical installations, PV and industrial cabling

Uniform hexagonal crimp: The crimping mechanism ensures even force transmission and automatically adjusts to the respective ferrule

With 6 crimping points, suitable for cable sleeves with diameters from 0.25 mm² to 6 mm²

With the non-slip TPR handle and the compact grip width, the wire crimping tool is ideal for easy, one-handed operation – ensuring comfortable working even during prolonged use

With 3 locking positions and a practical emergency release that reopens the ferrule crimping pliers if they become jammed

The crimping force of the wire crimper can be adjusted to six levels via the adjustment wheel

				Packaging: Retail Box					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 43	80218	4040849802188	8.99 €	50	1	17.80 cm	8.00 cm	3.00 cm	0.405 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Cable Tie Set, 200 Pcs.

cable organiser in 4 sizes, black, with snap closure

200 pcs. **4 sizes** **-40 to +85 °C**



Multifunctional, tear-resistant nylon cable ties for bundling electrical cables, audio cables, network cables, router and telephone cables in the home and workshop

4 different sizes: 50 pcs. each 2.5 x 100 mm,
50 pcs. each 2.5 x 150 mm, 50 pcs. each 3.6 x 200 mm,
50 pcs. each 3.6 x 300 mm

High tensile strength for a reliable hold: 2.5 mm versions can withstand loads of up to 8.2 kg, 3.6 mm versions up to 18 kg

Robust for indoor and outdoor use: Extremely durable, UV-resistant, heat-resistant from -40 to 85 °C and chemical-resistant

Simply thread and tighten: The locking mechanism ensures the wire tie remains securely and permanently in the selected position

Narrow tip for comfortable threading and clean finishing for burr-free edges – easy to use, no risk of injury

				Packaging: Bulk					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 43	80474	4040849804748	4.99 €	100	1	14.00 cm	45.00 cm	2.80 cm	0.140 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Cable Tie Set, 1000 Pcs.

cable organiser in 5 sizes, black, with snap closure

1000 pcs. **5 sizes** **-40 to +85 °C**

Multifunctional, tear-resistant nylon cable ties for bundling electrical cables, audio cables, network cables, router and telephone cables in the home and workshop

5 different sizes: 300 pcs. each 2.5 x 100 mm,
300 pcs. each 2.5 x 150 mm, 200 pcs. each 3.6 x 200 mm,
100 pcs. each 3.6 x 250 mm, 100 pcs. each 3.6 x 300 mm

High tensile strength for a reliable hold: 2.5 mm versions can withstand loads of up to 8.2 kg, 3.6 mm versions up to 18 kg

Robust for indoor and outdoor use: Extremely durable, UV-resistant, heat-resistant from -40 to 85 °C and chemical-resistant

Simply thread and tighten: The locking mechanism ensures the wire tie remains securely and permanently in the selected position

Narrow tip for comfortable threading and clean finishing for burr-free edges – easy to use, no risk of injury

				Packaging: Bulk					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 43	80475	4040849804755	9.99 €	25	1	25.00 cm	45.00 cm	3.60 cm	0.610 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Our principle

“A good deal should be win-win!”

wentronic

Thank you for taking an interest

If you have any questions or are interested in joint marketing campaigns, we look forward to hearing from you. Please feel free to contact us at any time.

Wentronic GmbH
Pillmannstraße 12
38112 Braunschweig
Tel/Fax: +49 (0)531-21058-0 /-22
www.wentronic.com

Some of the images used in this document have been created or edited, in whole or in part, using an AI system. They are for illustrative purposes only and may differ from actual products.